

ELSEVIER

Molecular Cell Research

Vol. 1355, 1997



Cumulative Contents ____

Information for Contributors	vii	Subsection Signal Transduction	
Rapid report		Regular papers	
RAB GTPases expressed in human melanoma cells D. Chen, J. Guo and W.A. Gahl (USA) Regular papers	1	Studies on ether-phospholipids of vascular smooth muscle cells. Identification of a rapid Ca ²⁺ -dependent hydrolysis of alkyl-phosphatidylethanolamine promoted by endothelin-1 C. Comminges, V. Georgeaud, E. Maury, C. Cariven, MC. Prévost and H. Chap (France) Effects of U73122 and U73343 on human platelet	6
Improved oligonucleotide uptake and stability by a new drug carrier, the SupraMolecular BioVector (SMBV)		calcium signalling and protein tyrosine phosphorylation J.W.M. Heemskerk, R.W. Farndale and S.O. Sage (The Netherlands, UK) Ca ²⁺ release and Ca ²⁺ influx in Chinese hamster	8
 M. Berton, S. Sixou, R. Kravtzoff, C. Dartigues, L. Imbertie, C. Allal and G. Favre (France) Differential expression of membrane-anchored proteoglycans in rabbit articular chondrocytes cultured in monolayers and in alginate beads. Effect of transforming growth factor-β1 	7	ovary cells expressing the cloned mouse B ₂ bradykinin receptor: tyrosine kinase inhibitor-sensitive and -insensitive processes M. Taketo, S. Yokoyama, Y. Kimura and H. Higashida (Japan)	8
F. Rédini, W. Min, M. Demoor-Fossard, M. Boit- tin and JP. Pujol (France)	20	Information for Contributors	v
Conductive Na ⁺ transport in fetal lung alveolar api- cal membrane vesicles is regulated by fatty acids and G proteins		Rapid reports	
G.K. Fyfe, P.J. Kemp and R.E. Olver (UK) Modulation of cytokine production by human mononuclear cells following impairment of Na,K-ATPase activity A.D. Foey, A. Crawford and N.D. Hall (UK)	33 43	Oocyte and zygote ketoaldehyde utilisation M. Legge (New Zealand) Manganese-dependent Dopa/tyrosine sulfation in HepG2 human hepatoma cells: novel Dopa/tyrosine sulfotransferase activities associated with the	9
Re-investigation of glucose metabolism in <i>Fibrobacter succinogenes</i> , using NMR spectroscopy and enzymatic assays. Evidence for pentose phosphates phosphoketolase and pyruvate formate lyase activities		human monoamine-form phenol sulfotransferase Y. Sakakibara, J. Katafuchi, Y. Takami, T. Nakayama, M. Suiko, H. Nakajima and MC. Liu (USA, Japan)	10
C. Matheron, AM. Delort, G. Gaudet and E. Forano (France)	50	Regular papers	
Caffeine decreases intracellular free Mg ²⁺ in isolated adult rat ventricular myocytes		The C-terminus of glycosylphosphatidylinositol- specific phospholipase D is essential for biologi-	
Hy. Li and G.A. Quamme (Canada)	61	cal activity	

B. Stadelmann, P. Bütikofer, A. König and U. Brodbeck (Switzerland)	107	R.D. Barber, A.S. Woolf and R.M. Henderson (UK)	191
Inhibition of NADH oxidase activity and growth of HeLa cells by the antitumor sulfonylurea, N-(4-methylphenylsulfonyl)-N'-(4-chlorophenyl)urea		Information for Contributors	vii
(LY181984) and response to epidermal growth factor		Short sequence-paper	
D.J. Morré, LY. Wu and D.M. Morré (USA) Leukemia inhibitory factor induces the 85-kDa cytosolic phospholipase A ₂ gene expression in cultured human bronchial epithelial cells T. Ikezono, T. Wu, XL. Yao, S. Levine, C. Logun, C.W. Angus and J.H. Shelhamer (USA)	114	Molecular cloning and sequence analysis of the cDNA for the mouse counterpart to adult hamster liver purified growth inhibitory factor C. Hashimoto, H. Masuda, M. Ayaki, Y. Suzuki, A. Uenaka, T. Seya, J. Miyoshi, K. Takahashi and Y. Inui (Japan)	205
A possible dual physiological role of extracellular ATP in the modulation of platelet aggregation			
G. Soslau and D. Youngprapakorn (USA)	131	Review	
8-Bromo-cAMP induces a proliferative response in an IL-3 dependent leukemic cell line and activates Erk1,2 via a Shc-independent pathway R.M.Y. Barge, J.H.F. Falkenburg, R. Willemze		TGN38 and its orthologues: roles in post-TGN vesi- cle formation and maintenance of TGN morphol- ogy	
and J.A. Maassen (The Netherlands)	141	G. Banting and S. Ponnambalam (UK)	209
The main neutral aminopeptidase activity of human			
lymphoid tumour cell lines does not originate from the aminopeptidase N-(APN; CD13) gene		Regular papers	
T. Wex, U. Lendeckel, T. Kähne, A. Ittenson, K.		Inhibition of tyrosine kinase activity decreases ex-	
Frank and S. Ansorge (Germany)	147	pression of surfactant protein A in a human lung adenocarcinoma cell line independent of epider- mal growth factor receptor	
Subsection Signal Transduction		J.M. Klein and T.A. McCarthy (USA)	218
		Nickel is a specific antagonist for the catabolism of activated α_2 -macroglobulin	
Regular papers		R.K. Kancha and M.M. Hussain (USA)	231
		Calcium spirulan as an inducer of tissue-type plas- minogen activator in human fetal lung fibroblasts	
Protein tyrosine kinase, mitogen-activated protein ki-		Y. Hayakawa, T. Hayashi, K. Hayashi, T. Ozawa,	
nase and protein kinase C are involved in the		K. Niiya and N. Sakuragawa (Japan)	241
mitogenic signaling of platelet-activating factor (PAF) in HEC-1A cells		Reduction of histone cytotoxicity by the Alzheimer β -amyloid peptide precursor	
L. Bonaccorsi, M. Luconi, M. Maggi, M. Mura-		J.R. Currie, MC. Chen-Hwang, R. Denman, M.	
tori, G. Forti, M. Serio and E. Baldi (Italy)	155	Smedman, A. Potempska, N. Ramakrishna, R.	
Insulin and insulin-like growth factor-I responsive- ness and signalling mechanisms in C ₂ C ₁₂ , satellite		Rubenstein, H.M. Wisniewski and D.L. Miller (USA)	248
cells: effect of differentiation and fusion		Selenium: potent stimulator of tyrosyl phosphoryla-	
R.M. Palmer, M.G. Thompson, R.M. Knott, G.P.	7.42	tion and activator of MAP kinase	
Campbell, A. Thom and K.S. Morrison (UK)	167	S.R. Stapleton, G.L. Garlock, L. Foellmi-Adams	250
Identification of the major sites of autophosphoryla- tion of the murine protein-tyrosine kinase Syk		and R.F. Kletzien (USA)	259
M.T. Furlong, A.M. Mahrenholz, KH. Kim, C.L.		Phospholipase A ₂ has a role in proliferation but not in differentiation of HL-60 cells	
Ashendel, M.L. Harrison and R.L. Geahlen (USA)	177	Y. Liu and R. Levy (Israel)	270
Potassium conductances and proliferation in condi-		Identification of novel human tumor cell-specific	
tionally immortalized renal glomerular mesangial		CaMK-II variants	
cells from the $H-2K^b$ -tsA58 transgenic mouse		R.M. Tombes and G.W. Krystal (USA)	281

293	 D.A. Van Riper, N.L. McDaniel and C.M. Rembold (USA) Suppression of the voltage-gated K⁺ current of human megakaryocytes by thrombin and prostacyclin 	323
	L. Kapural and A. Fein (USA) Phosphotyrosine phosphatase activity in the macrophage is enhanced by lipopolysaccharide, tumor necrosis factor α, and granulocyte/macrophage-colony stimulating factor: correlation with prim-	331
303	ing of the respiratory burst S. Bassal, Y.S. Liu, R.J.S. Thomas and W.A.	343
	Redox regulation of the mitogen-activated protein kinase pathway during lymphocyte activation S.D. Goldstone and N.H. Hunt (Australia)	353
315	Cumulative Contents, Vol. 1355	361
	Author Index	364
	303	 bold (USA) Suppression of the voltage-gated K⁺ current of human megakaryocytes by thrombin and prostacyclin L. Kapural and A. Fein (USA) Phosphotyrosine phosphatase activity in the macrophage is enhanced by lipopolysaccharide, tumor necrosis factor α, and granulocyte/macrophage-colony stimulating factor: correlation with priming of the respiratory burst